

CE

SPORTON LAB.

Certificate No : L031126L095

CERTIFICATE

● EQUIPMENT : Wireless Sensors Transceiver

MODEL NO. : FS118,FS168

APPLICANT : FRONTI TECHNOLOGY CORP

2F, No.179, Chang An Rd., 221 Shih Jyy, Taipei Country,
Taiwan



I HEREBY

CERTIFY THAT :

THE MEASUREMENTS SHOWN IN THIS TEST REPORT WERE MADE IN ACCORDANCE WITH THE PROCEDURES GIVEN IN EUROPEAN COUNCIL DIRECTIVE 2006/95/EC. THE EQUIPMENT WAS PASSED THE TEST PERFORMED ACCORDING TO

European Standard: 2006/95/EC

IEC 60950-1: 2005 (2nd Edition)

EN 60950-1: 2006+A11:2009

This evaluation was carried out to the best of our knowledge and ability, and our responsibility is limited to the exercise of reasonable care. This certification is not intended to relieve the sellers from their contractual obligations.

THE CERTIFICATE WAS CARRIED OUT ON March 31, 2010 AT SPORTON INTERNATIONAL INC. LAB.

Peter Hsu

Peter Hsu
Director



CE

SPORTON LAB.

Certificate No.: EW031126

CERTIFICATE



Testing Laboratory
1190



EQUIPMENT : Wireless Sensors Transceiver

MODEL NO. : FS118, FS168

APPLICANT : FRONTI TECHNOLOGY CORP

2F, No.179, Chang An Rd., 221 Shih Jyy, Taipei County, Taiwan



I HEREBY

CERTIFY THAT:

The requirements set out in the **R&TTE 1999/5/EC Directive** shown in this test report were made in accordance with the procedures given in **EN 301 489-1 V1.8.1 (2008-04) EN 301 489-3 V1.4.1 (2002-08)** Testing was carried out on **Mar. 23, 2010** at SPORTON International Inc. LAB.

Sam Lee
Supervisor



SPORTON LAB.

Certificate No.: ER031126


CERTIFICATE



Testing Laboratory
1190

- **EQUIPMENT : Wireless Sensors Transceiver**
MODEL NO. : FS118, FS168
APPLICANT : FRONTI TECHNOLOGY CORP

2F, No.179, Chang An Rd., 221 Shih Jyy, Taipei County, Taiwan



I HEREBY

CERTIFY THAT:

The measurements shown in this test report were made in accordance with the procedures given in **ETSI EN 300 220-1 V2.1.1 (2006-04)**. Testing was carried out on **Mar. 19, 2010** at SPORTON International Inc. LAB.


3.31.2010

Sam Lee
Supervisor



ADVANCED SAFETY PRODUCT
ASP TECHNOLOGY CORP

No.439, Jhen Cian St., Shulin Dist., New Taipei City, Taiwan 23855, R.O.C.
TEL:886-2-86841136, FAX:886-2-86841142, E-mail:ASP.twn@gmail.com

VERIFICATION OF CONFORMITY

We Hereby Certify that

The following mentioned product has been tested in typical configuration by ASP.

Applicant:

FRONTI TECHNOLOGY CORP
2F, No.179, CHANG AN RD., XIZHI DIST.,
NEW TAIPEI CITY 221, TAIWAN (R.O.C.)

Product Type:

SECURITY SMOG JET MACHINE

Model Name:

SFX1000(FS168-1000), SFX1500(FS168-1500)

Is in compliance with the European Council Directive 2006/95/EC.

The submitted samples comply with the requirements of the following standard(s):

EN 60335-1:2002+A1:2004+A11:2004+A12:2006+A2:2006+A13:2008



This verification refers only to the units submitted for test. The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.

Signed for and on behalf of ASP Technology Corp.

Kevin Ku/ Manager.
ASP Technology Corp.



Jan 17, 2012

Date.

The technical report issued by ASP will support you affix the CE marking.



ADVANCED SAFETY PRODUCT
ASP TECHNOLOGY CORP

No.439, Jhen Cian St., Shulin Dist., New Taipei City, Taiwan 23855, R.O.C.
TEL:886-2-86841136, FAX:886-2-86841142, E-mail:ASP.twn@gmail.com

VERIFICATION OF CONFORMITY

We Hereby Certify that

The following mentioned product has been tested in typical configuration by ASP.

Applicant:

FRONTI TECHNOLOGY CORP
2F, No.179, CHANG AN RD., XIZHI DIST.,
NEW TAIPEI CITY 221, TAIWAN (R.O.C.)

Product Type:

SECURITY SMOG JET MACHINE

Model Name:

SFX1000(FS168-1000), SFX1500(FS168-1500)

Is in compliance with the European Council Directive 2004/108/EC.

The submitted samples comply with the requirements of the following standard(s):

EN 55014-1:2006+A1:2009, EN 55014-2:1997+A2:2008,
EN 61000-3-2:2006+A2:2009, EN 61000-3-3:2008



This verification refers only to the units submitted for test. The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.

Signed for and on behalf of ASP Technology Corp.

Kevin Ku/ Manager.
ASP Technology Corp.



Jan 17, 2012
Date.

The technical report issued by ASP will support you affix the CE marking.

MATERIAL SAFETY DATA SHEET

MSDS: 001:053014/1
Issue Date: August 14, 2008
Supersedes: N.A.
Page 1 of 4

Section 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name : Fog/Haze Liquid
Trade Name : FLG/FLR/FLY/SFL Fog-FLM-05
Liquid/HZL Haze Liquid
Product Type : Theater Accessory,
Security Accessory
CAS Registry Number : NA
DOT Shipping Name : NA
DOT Hazard Class : NA

	<u>Hazard Ratings*</u>		<u>Ratings Key</u>
	<u>NPCA/HMIS</u>	<u>NFPA 704</u>	
Health:	1	1	0 = minimal
Flammability:	0	0	1 = slight
Reactivity:	0	0	2 = moderate
			3 = serious
			4 = severe

Emergency Telephone Number: +886- 3-322-5829

Manufacturer/Distributor
Antari Lighting & Effect Ltd.
No. 8, Lane 231, Nankan Road
Section 1, Luchu, Tao-Yuan County
Taiwan

*See Section 16 for designations of abbreviations used

Section 2. COMPOSITION/INFORMATION ON INGREDIENTS

The following ingredient in this product is considered to be hazardous by OSHA as defined by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

<u>Ingredient</u>	<u>CASRN</u>	<u>%</u>	<u>Exposure Limits</u>	
			<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Glycerin (mist)	56-81-5	15	5 mg/m ³ (respirable fraction)	10 mg/m ³

Section 3. HAZARDS IDENTIFICATION/EMERGENCY OVERVIEW

Carcinogen or Potential Carcinogen

NTP:
No

IARC:
No

OSHA:
No

Inhalation - May irritate the respiratory tract
Dermal Contact – No adverse effects expected
Ingestion - May irritate the gastrointestinal tract
Eye Contact – May cause slight irritation

Section 4. FIRST AID MEASURES

Skin: None required
Eye: Wash affected eyes with water
Ingestion: Drink water, Induce vomiting
Inhalation : Remove affected person to fresh air

Section 5. FIRE FIGHTING MEASURES

Extinguishing Media: Not applicable – material will not burn
Special Fire-Fighting Procedures or Equipment: None
Hazardous Combustion Products: None
Unusual Fire/Explosion Hazards: None

Section 6. ACCIDENTAL RELEASE MEASURES

None Required

Section 7. HANDLING AND STORAGE INFORMATION

Store product away from heat in well ventilated area

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

None required

Section 9. PHYSICAL/CHEMICAL PROPERTIES

Appearance	:	Liquid in various colors
Flash Point	:	NA
Boiling Point	:	258°C ~ 262°C (496.4°F ~ 503.6°F)
Melting Point	:	NA
Specific Gravity	:	1.075 - 1.085
Odor	:	None
Solubility (Water)	:	Soluble
Organics	:	Insoluble
Viscosity	:	Approximately same as water

Section 10. STABILITY/REACTIVITY

This material is stable and not reactive with most materials.

Section 11. TOXICOLOGICAL INFORMATION

Health Hazard (Acute or Chronic)

This material is not expected to cause any significant acute or chronic toxicity or be corrosive to the skin and eyes or irritating to the skin. It may be slightly irritating to the eyes and respiratory tract.

Section 12. ECOLOGICAL INFORMATION

This material is not expected to cause adverse effects to the environment.

Section 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state and federal regulations.

Section 14. TRANSPORTATION INFORMATION

This product is not regulated under US DOT.

Section 15. REGULATORY INFORMATION

All the ingredients in this product are listed on the TSCA inventory. This material is not a Class 2 ozone depletor or regulated under the CERCLA, RCRA, SARA, Clean Air Act, or the Clean Water Act.

Section 16. OTHER INFORMATION

Antari Lighting & Effects, Ltd. and SGS Life Science Services., the preparer of this MSDS, believe that the information contained herein (including data and statements) is accurate as of the date hereof. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE AS CONCERNS THE INFORMATION HEREIN PROVIDED. The information provided herein relates only to the specific product designate and may not be valid, where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and the information referred to herein are beyond the control of Antari & Effect Ltd. and SGS Life Science Services, the prepared of this MSDS; Antari Lighting & Effects, Ltd. and SGS Life Science Services expressly disclaims any and all liability as to any results obtained or arising from any use of the product or such information. No statement made herein shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents.

Abbreviations used in this MSDS not fully described in the text:

ACGIH: American Conference of Governmental Industrial Hygienists
CASRN: Chemical Abstracts Service Registry Number
CFR: Code of Federal Regulations
IARC: International Agency for Research on Cancer
NFPA: National Fire Protection Association
NPCA/HMIS: National Paint and Coatings Association's Hazardous Materials Information System
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PEL: Permissible Exposure Limit
TLV: Threshold Limit Value



To: ANTARI LIGHTING & EFFECTS, LTD.
NO. 8, LANE 231, NANKAN RD., SEC. 1
LUCHU, TAO-YUAN,
TAIWAN

File No.: 001-053014/1

P.O. No.: Pending

Date Approved: Aug 14, 2008

CERTIFICATE OF ANALYSIS

Sample Description: MSDS

Lot Number : N/A


Date Received: Aug 07, 2008

Conditions on Receipt : Room Temperature

Sample Packaging : Raw Material, Non-Commercial Label

ANALYSIS	METHOD	SPECIFICATIONS	RESULTS
MSDS Preparation	29 CFR 1910.1200	Per 29 CFR 1910.1200	See attached MSDS

C of A released by:


Joan Breheny, MS
Manager, Toxicology

8/15/08
Date

Page 1 of 1

This report is issued by SGS U.S. Testing Company Inc. under its General Conditions for Testing Services (copy available upon request). SGS U.S. Testing's responsibility under this report is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by SGS U.S. Testing for more than 30 days. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. Neither the name, seals, marks nor insignia of SGS U. S. Testing may be used in any advertising or promotional materials without the prior written approval of SGS U.S. Testing. The test report cannot be reproduced, except in full, without prior written permission of SGS U.S. Testing Company, Inc.